



AQUIND Limited

APPENDIX 1.3

Glossary

CONTENTS

1	GLOSSARY	1
2	ABBREVIATIONS	35

1 GLOSSARY

Term	Definition
6 nmi limit	This is the inshore fishing boundary 6 miles from the baseline of a coastal state.
12 nmi limit	This is the territorial sea or belt of coastal waters extending 12 nautical miles from the baseline of a coastal state.
Abnormal Indivisible Load (AIL)	An Abnormal Indivisible Load (AIL) is a vehicle that has any of the following: a mass of more than 44,000 kilograms, an axle load of more than 10,000 kilograms for a single non-driving axle and 11,500 kilograms for a single driving axle, a width of more than 2.9 metres, a rigid length of more than 18.65 metres.
Above-Ground Heritage Asset	An above ground building, monument, site, place, area or Landscape identified as having a degree of significance meriting consideration in planning decisions, because of its Heritage interest. Heritage Assets include Designated Heritage Assets and Non-Designated Heritage Assets.
AC Cables	For the purpose of the Proposed Development, the Cables designed to transfer power using Alternating Current at a nominal voltage of 400 kV, which will connect Lovedean Substation to the Converter Station. They will be arranged as two Circuits, each with three cables.
AC Cable Route	The final area occupied by the permanent installation of the AC Cables including any easement areas required for maintenance.
AC Cable Corridor	The area within which the AC Cable Route and all associated Temporary Works could be located.
Access Road	The permanent road that will be constructed to facilitate vehicular access to the Converter Station from the existing highway network.
Agricultural Land Classification (ALC)	A framework for determining the physical quality of the land at national, regional and local levels. This is based on the long term physical limitations of land for agricultural use There are a number of factors that affect

	the grade and the main ones are climate, site and soil characteristics, and the interactions between them.
Air Insulated Switchgear (AIS)	High voltage electrical equipment that uses air as its insulating medium.
Alternating Current (AC)	A flow of electrical current which reaches maximum in one direction, decreases to zero, then reverses itself and reaches maximum in the opposite direction. The cycle is repeated continuously and the number of cycles per second is described as the frequency. The National Electricity Transmission System (NETS) is an AC network that uses a frequency of 50 Hz.
Ambient Sound Level	Defined in British Standard 4142: 2014 Methods for rating and assessing industrial and commercial sound (BS 4142) as “equivalent continuous A-weighted sound pressure level of the totally encompassing sound in a given situation at a given time, usually from many sources near and far, at the assessment location over a given time interval, T”.
Ancient Woodland	Ancient Woodland is defined as an area that has been wooded continuously since at least 1600 AD. Ancient Woodland is divided into ancient semi-natural woodland and plantations on Ancient Woodland sites. Both types are classed as ancient woods.
APFP Regulations	The Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009.
Applicant	AQUIND Limited.
Application	The Application for a Development Consent Order (DCO) that will be submitted by the Applicant to the Secretary of State (SoS) for Business, Energy and Industrial Strategy (BEIS).
Appropriate Assessment	An assessment undertaken under the Habitats Regulations 2010 (as amended), implementing the requirements of the Habitats Directive and Birds Directive.
AQUIND Interconnector	The Project.
Archaeological Interest	There will be archaeological interest in a heritage asset if it holds, or potentially may hold, evidence of past

	human activity worthy of expert investigation at some point. Heritage assets with archaeological interest are the primary source of evidence about the substance and evolution of places, and of the people and cultures that made them.
As Low as Reasonably Practicable (ALARP)	For a Risk to be ALARP, the cost, time or effort involved in reducing the Risk further would be grossly disproportionate to the benefit gained.
Authorised Development	The development that will be described in Schedule [xx] of the Draft Development Consent Order (dDCO) (document ref. [xx]).
A-weighting	The human ear can detect sound over a wide range of frequencies, from 20 Hz to 20 kHz, but it is more sensitive to some frequencies than others. Generally, the ear is most sensitive to sounds with frequencies in the range 1 to 4 kHz. The A-weighting is a filter that can be applied to measured Sound Pressure Level (SPL) at varying frequencies, to mimic the frequency response (or sensitivity) of the human ear, and therefore better represent the likely perceived loudness of the sound. SPL readings with the A-weighting applied are represented in dB(A).
Background Sound Level(LA90,T)	Defined in British Standard 4142 as “A-weighted sound pressure level that is exceeded by the residual sound at the assessment location for 90% of a given time interval, T, measured using time weighting F and quoted to the nearest whole number of decibels”.
Baseline	A reference level of existing environmental conditions against which a project is measured and controlled.
Baseline Studies	Work done to determine and describe the environmental conditions against which any future changes can be measured or predicted and assessed.
Below-Ground Heritage Asset	Below-Ground Heritage Assets include both known and hitherto unknown buried archaeological remains.
Beam Trawling	A type of bottom towed fish net incorporating a beam which holds the net open and is towed along the sea bed.
Best and Most Versatile agricultural land (BMV)	Defined as Grades 1, 2 and 3a by the Revised National Planning Policy Framework (NPPF) and Planning

	Practice Guidance (PPG) (the latter is currently under review – see definition of Planning Practice Guidance (PPG) below). This is the land which is determined to be most flexible, productive and efficient in response to inputs and which can best deliver future crops for food and non-food uses such as biomass, fibres and pharmaceuticals. Grades 3b, 4, and 5 are used to classify land that is of moderate quality to very poor quality.
Best Available Techniques (BAT)	Means the available techniques which are the best for preventing or minimising emissions and impacts on the environment. The European Commission (EC) produces Best Available Technique reference documents or BREF notes. They contain BAT for installations.
Biodiversity	The biological diversity of the earth’s living resources. The total range of variability among systems and organisms at the following levels of organisation: bioregional, Landscape, ecosystem, Habitats, communities, Species, populations, individuals, genes and the structural and functional relationships within and between these different levels.
Biodiversity Action Plan (BAP)	Plans which set specific, measurable, achievable, realistic and time bound conservation targets for Species and Habitat. The UK BAP is the UK Government’s response to the Convention on Biological Diversity (CBD) signed in 1992. More information is available at www.ukbap.org.uk .
Birds Directive	Direction 2009/147/EC of the European Parliament and of the Council of 30 November 2009 on the conservation of wild birds (codified version).
Breeding Bird Survey (BBS)	The main scheme coordinated by the BTO/JNCC/RSPB for monitoring the population changes of the UK changes of the UK’s common breeding birds. Commonly used in commercial ecological consultancy to survey for birds.
British Geological Survey	Provider of objective and authoritative geoscientific data, information and knowledge for the UK.
Bottom Towed Fishing Gear	Fishing gear which is towed behind a fishing vessel and is in contact with the sea bed.
Bylaws	Laws of local or limited application.

Cable Burial Risk Assessment (CBRA)	Cable Burial Risk Assessment (CBRA) is an approach promoted by The Carbon Trust that provides a repeatable process to define a target depth of lowering for marine cables which is practically and economically achievable whilst providing adequate protection.
Cable Joint	The components required to connect together two sections of cable.
Cable Lay Vessel (CLV)	The vessel which will carry the marine cables to be installed.
DC Cable Corridor	The cable includes the Onshore Cable Corridor and Marine Cable Corridor.
DC Cable Route	Comprises the Onshore Cable Route and Marine Cable Route.
Cables	Insulated metallic electrical conductors used for the transfer of power. All Cables for the Proposed Development will be buried underground.
Characterisation	The process of identifying areas of similar Landscape Character, classifying and mapping them and describing their character.
Chartered Institute of Ecology and Environmental Management (CIEEM)	The professional membership body representing and supporting Ecologists and Environmental professionals in the UK, Ireland and abroad. Previously known as Institute of Ecology and Environmental Management (IEEM).
Climate Change	Large scale, long term shift in the planet's weather patterns or average temperature.
Compensation	Measures devised to offset or compensate for residual adverse effects which cannot be prevented/avoided or further reduced.
Commercial Fishing	The catching of fish and shellfish for commercial sale.
Codes of Practice	A set of written rules which explains how people working in a particular fashion should behave.
Connection Agreement	The contract between the Applicant and National Grid to facilitate the transmission of electricity to the National Electricity Transmission System.

Conservation (for heritage policy)	The process of maintaining and managing change to a heritage asset in a way that sustains and, where appropriate, enhances its significance.
Construction Environmental Management Plan (CEMP)	Document setting out methods to avoid, minimise and mitigate Impact on the environment and surrounding area and the protocols to be followed in implementing these measures in accordance with environmental commitments during construction.
Consultation Documents	<p>These are documents to include: “plans and maps showing the nature and location of the proposed development” as stated in subsection (4) of the Infrastructure Planning (Applications: Prescribed Forms and Procedure) Regulations 2009. For the Proposed Development, the Consultation Documents consist of:</p> <p>Statement of Community Consultation (SoCC); Preliminary Environmental Information Report (PEIR); PEIR Non-technical Summary (NTS); Consultation document; Newsletter; and Feedback form.</p>
Converter Station	The fenced compound, adjacent to Lovedean Substation, comprising the necessary equipment to convert AC to DC and vice versa.
Converter Station Area	This is the area of land identified to accommodate: the Converter Station and associated equipment; the connection between AQUIND Interconnector AC cables and the National Electricity Transmission System (NETS) at Lovedean Substation; the Cable Corridor to accommodate AC cables (and FOC) between the Converter Station and Lovedean Substation; the DC Cables (including FOC) from Converter Station southwards; the temporary construction compound area(s); access road; and, mitigation measures, for example additional planting and attenuation pond.
Cultural Heritage Significance	The value of a Heritage Asset to this and future generations because of its Heritage interest. That interest may be archaeological, architectural, artistic or historic. Significance derives not only from a Heritage Asset's physical presence, but also from its setting.

Cumulative Effects	In terms of an Environmental Impact Assessment (EIA), the summation of Effect that result from changes caused by the Proposed Development in conjunction with other reasonably foreseeable development that is either consented but not yet constructed or is in the process of seeking consent.
Dangerous Substances Directive	EC Directive 76/464/EC Water pollution by discharges of certain dangerous substances (Dangerous Substances Directive) and Priority Substances Directive (2008/105/EC) - transposed into UK law under the Priority / Dangerous Substances Directive.
DC Cables	Cables designed to transfer power using Direct Current at 320 kV, which will connect The Converter Station to Grand Rue Converter Station.
DCO Application	The Application for a Development Consent Order (DCO) that will be made in respect of the Proposed Development.
Decibel (dB)	The decibel scale is used in relation to sound because it is a logarithmic rather than a linear scale. The decibel scale compares the level of a sound relative to another. The human ear can detect a wide range of sound pressures, typically between 2×10^{-5} and 200 Pa, so the logarithmic scale is used to quantify these levels using a more manageable range of values.
Deemed Marine Licence	Marine licence that is deemed by a Development Consent Order (DCO) under Section 149A of the Planning Act 2008 (as amended) (PA 2008).
Demersal Trawling	Large nets towed by fishing vessels which touch the seabed to target bottom dwelling species.
Designated Heritage Assets	World Heritage Site, scheduled monument, listed building, protected wreck site, registered park and garden, registered battlefield or conservation area.
Designated Landscape	Areas of Landscape identified as being of importance at international, national or local levels, either defined by statute or identified in development plans or other documents.
Development Consent Order (DCO)	A Development Consent Order (DCO) is made by the Secretary of State (SoS) pursuant to the Planning Act

	2008 (as amended) (PA 2008) to authorise a Nationally Significant Infrastructure Project (NSIP).
Development Plan	This includes adopted Local Plans and neighbourhood plans as defined in section 38 of the Planning and Compulsory Purchase Act 2004.
Dissolved inorganic nitrogen	The sum of nitrate, nitrite, and ammonium dissolved in the water.
Dissolved oxygen	The amount of gaseous oxygen (O ₂) dissolved in the water.
Direct Buried Cables	An installation method whereby cables are laid in a trench and are buried in backfill which is in direct contact with the cables.
Direct Current (DC)	A flow of continuous electrical current which flows in one direction.
Direct Effect	An Effect that is directly attributable to the Proposed Development.
Direct Employment	Refers to the initial injection of expenditure, i.e. people employed in the construction of the Proposed Development (direct and contracted employment) and expenditure of goods, services and capital for the construction.
Disaster	In the context of the Proposed Development, a naturally occurring phenomenon such as an extreme weather event (e.g. storm, flood, temperature) or ground-related hazard events (e.g. subsidence, landslide, earthquake) with the potential to cause an event or situation that meets the definition of a Major Accident.
Distribution Network Operator (DNO)	Scottish and Southern Electricity Networks.
'Do nothing' Scenario	Continued change or evolution in the Baseline environment, in the absence of the Proposed Development.
Draft Development Consent Order (dDCO)	The draft Development Consent Order (DCO) submitted with the Application (document ref. [xxx]).

Dredging (commercial fisheries)	Bottom towed fishing gear specific for bottom dwelling shellfish such as scallops.
Distributed Temperature Sensing (DTS)	A means of measuring temperature, in this case of the cables, using optical fibres as linear sensors.
Ducted Installation	An installation method where ducts are installed in the ground and cables are subsequently pulled into them.
Dust	Dust comprises particles typically in the size range 1-75 micrometres (μm) in aerodynamic diameter and is created through the action of crushing and abrasive forces on materials.
Ecological Impact Assessment (EclA)	A recommended procedure for the ecological component of Environmental Impact Assessment (EIA).
Effect	The consequence of an Impact.
EIA Directive	Directive 85/337/EEC (as amended). The initial Directive of 1985 and its three amendments have been codified by Directive 2011/92/EU of 13 December 2011. Directive 2011/92/EU has been amended in 2014 by Directive 2014/52/EU.
EIA Regulations	In the context of the Proposed Development, The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017 which prescribe the information to be included in the Environmental Statement (ES) and the consultation to be carried out in connection with development requiring an Environmental Statement (ES).
Elements	Individual parts which make up the Landscape, such as, for example, trees, hedges, and buildings.
Emission	A material that is expelled or released to the environment. Usually applied to gaseous or odorous discharges to the atmosphere.
Emission Rate	The quantity of a pollutant released from a source over a given period of time.
Enhancement	Proposals that seek to improve the landscape resource and the Visual Amenity of the Proposed Development and its wider setting, over and above its Baseline condition.

Environmental Impact Assessment (EIA)	<p>A systematic means of assessing a development project's likely significant Effect undertaken in accordance with the Infrastructure Planning (Environmental Impact Assessment) Regulations 2017.</p>
EIA Directive	<p>Directive 85/337/EEC (as amended). The initial Directive of 1985 and its three amendments have been codified by Directive 2011/92/EU of 13 December 2011. Directive 2011/92/EU has been amended in 2014 by Directive 2014/52/EU.</p>
EIA Regulations	<p>In the context of the Proposed Development, The Infrastructure Planning (Environmental Impact Assessment) Regulations 2017 which prescribe the information to be included in the Environmental Statement (ES) and the consultation to be carried out in connection with development requiring an Environmental Statement.</p>
Environmental Statement (ES)	<p>A statement that includes the information that is reasonably required to assess the</p> <p>Effects of a development and which the applicant can, having regard in particular to current knowledge and methods of assessment, reasonably be required to compile, but that includes at least the information required in the EIA Regulations and which is prepared in accordance with any Scoping Opinion.</p> <p>The Environmental Statement accompanying the DCO Application will be prepared in accordance with the EIA Regulations.</p>
Entire Marine Cable Corridor	<p>The Entire Marine Cable Corridor extends from Eastney, located in Portsmouth on the south coast of the UK, to Pourville located on the Normandy coast of northern France</p>
Equivalent Continuous A-weighted Sound Pressure Level (LAeq,T)	<p>Defined as the notional steady sound level which, over a stated period of time (T), would contain the same amount of acoustical energy as the A - weighted fluctuating sound measured over that period. The time period over which the LAeq is calculated should always be stated.</p>
European Commission (EC)	<p>The executive body of the European Union responsible for proposing legislation, enforcing European law, setting objectives and priorities for action, negotiating trade agreements and managing implementing European Union policies and the budget.</p>

European Protected Species (EPS)	European Protected Species are animals and plants that receive protection under the Conservation of Habitats and Species Regulations 2017, in addition to the Wildlife and Countryside Act 1981 (as amended).
European Protected Species (EPS) Derogation Licence	A licence issued to permit an activity affecting European Protected Species (EPS) that would otherwise be an offence under the Habitats Regulations.
Examining Authority (ExA)	Planning Inspector(s) responsible for conducting the examination of, and recommendation to the Secretary of State (SoS) as to a decision on the DCO Application.
Exceedance	A period of time where the concentrations of a pollutant is greater than the appropriate air quality standard.
Exclusive Economic Zone (EEZ)	An Exclusive Economic Zone is a sea zone prescribed by the United Nations Convention on the Law of the Sea, over which a state has special rights regarding the exploration and use of marine resources, including energy production from water and wind. The UK's EEZ starts at the seaward edge of its Territorial Waters and meets the French EEZ maritime boundary at KP 109.107.
Fibre Optic Cable (FOC)	A telecommunications cable made from thin strands of glass fibre, which uses pulses of light to transfer data. Each Pole will have a FOC, which will be used to provide a dedicated communications link between the UK and French Converter Stations for the purposes of control, protection and monitoring of the Project. Capacity provided by strands that are not utilised for these functions will be available for third parties to purchase for other telecommunication purposes.
Fisheries Liaison Officer	A person who works with the Applicant and fishing industry to minimise potential impact of a project on fishing activities in the area.
Fishing Effort	A measure of the amount of fishing.
Fishing Grounds	Areas of the sea which are specifically targeted by commercial fishing vessels for specific fish and shellfish species.
Fishing Industry Representative	A person, usually a local fisherman or ex fisherman, who provides support and guidance to the fishing industry.

Flood Map for Planning	Defines Flood Zones based on annual probability of flooding from Fluvial and tidal sources to inform development planning and flood risk assessment. Nationally consistent delineation of 'high', 'medium' and 'low' flood risk updated by the Environment Agency as deemed appropriate, typically on a quarterly basis.
Flood Risk Assessment (FRA)	An assessment of the risk of flooding.
Flood Zones	Zones based on the annual probability of flooding from Fluvial and tidal sources, as defined in the Flood Map for Planning. Areas are categorised into one of the following: Flood Zone 1, Flood Zone 2, Flood Zone 3a or Flood Zone 3b.
Flood Zone 1	This zone comprises land assessed as having less than a 1 in 1000 (0.1%) annual probability of flooding from rivers or the sea in any year.
Flood Zone 2	This zone comprises land assessed as having between a 1 in 100 (1%) and 1 in 1000 (0.1%) annual probability of flooding from rivers, or between a 1 in 200 (0.5%) and 1 in 1000 (0.1%) annual probability of flooding from the sea in any year.
Flood Zone 3a	This zone comprises land assessed as having a 1 in 100 (1%) or greater annual probability of flooding from rivers or a 1 in 200 (0.5%) or greater annual probability of flooding from the sea in any year.
Flood Zone 3b	This zone comprises land where water has to flow or be stored in times of flood.
Fluvial	Of, or relating to, or inhabiting a river or stream.
FOC Infrastructure	The physical infrastructure associated with the fibre optic communication system. This includes: the Fibre Optic Cables; up to two Optical Regeneration Stations within approximately 1 km of landfall; up to two Telecommunications Buildings adjacent to the Converter Station; auxiliary power supply and fuel supply to buildings; securely fenced compounds around buildings; access and parking to buildings.
Free Field Conditions	Conditions where sound behaves as if in open air, without reflecting surfaces to interfere with its propagation.

Gas Insulated Switchgear (GIS)	High voltage electrical equipment that uses a specialist gas as its insulating medium to allow a smaller physical size relative to air insulated switchgear.
Geographical Information System (GIS)	A system that captures, stores, analyses, manages and presents data linked to location. It links spatial information to a digital database.
Geophysical Survey	Making and interpreting measurements of physical properties of the Earth to determine subsurface conditions.
Geotechnical Survey	An investigation to determine the nature and engineering properties of the soil and other materials and to determine soil profiles and property assignments for the purpose of design.
Gillnetting	A clear monofilament net used to catch fish by entanglement.
Grand Rue Converter Station	The French converter station for the Project.
Greenhouse Gas (GHG)	Gases that absorb and emit radiation at specific wavelengths within the spectrum of infrared radiation emitted by the Earth's surface, the atmosphere, and clouds. The six main GHGs whose emissions are human-caused are: carbon dioxide, methane, nitrous oxide, hydrofluorocarbons, perfluorocarbon and sulphur hexafluoride. In combination, these GHG emissions are commonly expressed in terms of 'carbon dioxide equivalents' (CO ₂ e) according to their relative global warming potential. For this reason, the shorthand 'carbon' may be used to refer to GHGs.
Ground Investigations	The physical investigation stage of the Geotechnical Survey of which Geophysical surveys may be one element. Comprised of a targeted investigations including both intrusive and non-intrusive techniques to prove; ground conditions, determine soil/rock parameters and identify hazards associated with the ground conditions to inform a proposed development
Groundwater Source Protection Zone (SPZ)	Also Source Protection Zone (SPZ), defined for 2,000 groundwater sources such as wells, boreholes and springs used for public drinking water supply, show the risk of contamination from any activities that might cause pollution in the area. The closer the activity, the greater the risk. The SPZ maps show three main zones

	(inner, outer and total catchment) and a fourth zone of special interest, which the Environment Agency occasionally apply, to a groundwater source.
Habitat	The environment in which populations or individual species live or grow.
Habitats Directive	Council Directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna.
Habitats Regulations	The Conservation of Habitats and Species Regulations 2017 which covers the terrestrial environment and marine waters up to 12 nm and The Conservation of Offshore Marine Habitats and Species Regulations 2017 which covers beyond the 12 nm territorial limit.
Habitats Regulations Assessment (HRA)	The Habitats Regulations are used to implement the Habitats Directive and require a Habitats Regulations Assessment for Nationally Significant Infrastructure Project (NSIP).
Harm	Change for the worse, here primarily referring to the effect of inappropriate interventions on the heritage values of a Heritage Asset.
Haul Road	A temporary road constructed for use during the Construction Phase.
Heritage	The historic environment and especially valued assets and qualities such as historic buildings and cultural traditions.
Heritage Asset	A building, monument, site, place, area or Landscape identified as having a degree of significance meriting consideration in planning decisions, because of its Heritage interest. Heritage Assets include Designated Heritage Assets and Non-Designated Heritage Assets.
Heritage Coast	Areas of undeveloped coastline which are managed to conserve their natural beauty and, where appropriate, to improve accessibility for visitors.
Highest Astronomical Tide (HAT)	The highest tide level which can be predicted to occur under average meteorological conditions and any combination of astronomical conditions.
Highway Boundary	The area which is adopted road, maintained at public expense. (Hampshire County Council or Portsmouth City Council)

Historic Environment	All aspects of the environment resulting from the interaction between people and places through time, including all surviving physical remains of past human activity, whether visible, buried or submerged, and landscaped and planted or managed flora.
Historic Environment Record (HER)	Information services that seek to provide access to comprehensive and dynamic resources relating to the historic environment of a defined geographic area for public benefit and use.
Horizontal Directional Drilling (HDD)	A trenchless technology that involves drilling into the ground to create a bore with a generally horizontal profile, along a planned pathway.
Hydrology	The movement, distribution and quality of water throughout the earth.
Hydromorphology	The physical characteristics of the shape, boundaries and content of a water body.
ICES Division V.II.d	A large area of sea encapsulating the Eastern Channel.
Impact	A physical or measurable change to the environment attributable to the Proposed Development.
Important Ecological Features	Species and Habitat present within the Zone of Influence (ZOI) of the Proposed Development that are of sufficiently high value that an Effect upon them as a result of the Proposed Development could be considered to be of Significance.
Index of Multiple Deprivation	The indices of deprivation, measure relative deprivation in local authorities across England. The index of multiple deprivation is the most widely used of these indices.
Indirect Effect	An Effect that results indirectly from the Proposed Development, as a consequence of the Direct Effect, often occurring away from the Site, or as a result of a sequence of interrelationships or a complex pathway. They may be separated by distance or in time from the source of the Effect.
Indirect Employment	Refers to the subsequent rounds of expenditure generated throughout the supply chain by the initial expenditure on goods, services and capital.
Inherent Mitigation	Mitigation that is designed in and forms part the Proposed Development.

Inshore Fisheries Working Group	A forum where a developer can communicate with inshore fishermen.
Inshore Marine Cable Corridor	The part of the Marine Cable Corridor that runs from Mean High Water Springs (MHWS) through UK Territorial Waters, out to the 12 nautical mile limit.
International Dark Skies Reserve	Land possessing an exceptional or distinguished quality of starry nights and nocturnal environment that is specifically protected for its scientific, natural, educational, cultural, Heritage and/or public enjoyment.
Invasive Non-Native Species	Non-native UK animal or plant that has the ability to spread causing damage to the environment, the economy, our health and the way we live.
Jack Up Vessel	A self-elevating barge fitted with long support legs that can be raised or lowered.
Joint Bay	Transition location between each section of cable. This contains the cable joint and the ancillary equipment and parts which are required to make the joint, serving perpetually for the asset life of the cable.
Key Characteristics	Those combinations of Elements which are particularly important to the current character of the Landscape and help to give an area its particularly distinctive sense of place.
Kingfisher Bulletin	A bulletin that works across all offshore industries to keep the fishing industry informed of hazards, planned developments, new structures being installed and zones created.
L90 or LA90 and other percentile measures	This represents the Sound Pressure Level (SPL) which is exceeded 90% of the time, expressed in dB or dB(A). LA90 is used to quantify background sound levels (see Background Sound Level above). Other percentiles exist and are used for various types of noise assessment. These include L01, L10, L50, L99.
Land Cover	The surface cover of the land, usually expressed in terms of vegetation cover or lack of it. Related to, but not the same as, Land Use.
Landfall	The landfall is the area comprising an underground structure where the Marine Cables come ashore and connect to an Onshore Cable in a Transition Joint Bay.

Land Use	What land is used for, based on broad categories of functional land cover, such as urban and infrastructure use and the different types of agricultural and forestry.
Landform	The shape and form of the land surface which has resulted from combinations of geology, geomorphology, slope, elevation and physical processes.
Landscape	An area, as perceived by people, the character of which is a result of the action and interaction of natural and/or human factors.
Landscape and Visual Impact Assessment (LVIA)	A tool used to identify and assess the likely significant Effect of change resulting from development both on the Landscape as an environmental resource in its own right and on people's views and Visual Amenity.
Landscape Character	A distinct, recognisable and consistent pattern of Elements in the Landscape that makes one Landscape different from another.
Landscape Character Areas	These are single unique areas which are the discrete geographical areas of a particular Landscape type.
Landscape Character Assessment	The process of identifying and describing variation in the Landscape Character and using this information to assist in managing change in the Landscape. It seeks to identify and explain the unique combination of Elements and Features that make a Landscape distinctive. The process results in the production of a Landscape Character Assessment.
Landscape Character Types	These are distinct types of Landscape that are relatively homogenous in character. They are generic in nature in that they may occur in different areas in different parts of the country, but wherever they occur they share broadly similar combinations of geology, topography, drainage patterns, vegetation and historical land use and settlement patterns, and perceptual and aesthetic attributes.
Landscape Effects	Effects on the Landscape as a resource in its own right.
Landscape Receptor	An aspect of the Landscape resource that has the potential to be affected by the Proposed Development.
Laydown Area	Temporary area required during the construction stage of the Proposed Development to store equipment,

	vehicles and appropriate staff facilities during the [construction stage], which will be reinstated to its original state following demobilisation where required.
Lead Local Flood Authority (LLFA)	Local Authority responsible to taking the lead on local flood risk management as defined within the Flood and Water Management Act 2010.
Likely Significant Effect	An Effect with a Significance of moderate to major.
Link Box	A box in which electrical connections between the metallic sheaths of Cables may be removed, enabling tests to establish the integrity of the Cable oversheaths in the event of suspected damage.
Link Box Chamber	An underground chamber with a lockable cover, in which electrical connections between the metallic sheaths of Cables may be removed, enabling tests to establish the integrity of the Cables oversheaths in the event of suspected damage. Necessarily installed in close proximity to some, but not all, Joint Bays.
LAm_{ax}	LAm _{ax} is the maximum A - weighted sound pressure level recorded over the period stated. LAm _{ax} is sometimes used in assessing environmental noise where occasional loud noises occur, which may have little effect on the overall LA _{eq,T} noise level but will still affect the noise environment.
Local Biodiversity Action Plan (LBAP)	A strategy and set of objectives aimed at conserving, monitoring and raising awareness of Biodiversity – usually along local authority boundary lines.
Local Development Plan (LDP)	The set of documents and plans that sets out the local authority's policies and proposals for the development and use of land in their area.
Local Nature Reserve (LNR)	A site of importance for wildlife, geology, education or public enjoyment. Some are also nationally important Site of Special Scientific Interest (SSSI). Local Nature Reserves must be controlled by the local authority through ownership, lease or agreement with the owner.

Local Planning Authority (LPA)	The local authority or council that is empowered by law to exercise statutory town planning functions for a particular area of the UK.
Longlining	A commercial fishing technique using a series of baited hooks attached to a main line.
Lovedean Substation	The existing National Grid Electrical Substation located at Lovedean, Hampshire.
Lower Super Output Area (LSOA)	A geographic unit used for statistical purposes.
Lowest Astronomical Tide (LAT)	The lowest tide level which can be predicted to occur under average meteorological conditions and any combination of astronomical conditions.
Lowest Observed Adverse Effect Level (LOAEL)	The level above which adverse Effects on health and quality of life can be detected as a result of noise or vibration.
Made Ground	Areas where material is known to have been placed by people on the pre-existing (natural or artificial) land surface (including engineered fill).
Magnitude	A combination of the scale, extent and duration of an Effect.
Main River	A watercourse shown as such on the Flood Map for Planning, and can include any structure or appliance for controlling or regulating the flow of water in, into or out of a main river. Main Rivers are usually larger streams and rivers, but also include smaller watercourses of strategic drainage importance. Main Rivers are under the jurisdiction of the Environment Agency who have powers to carry out flood defence works to Main Rivers.
Major Accident	In the context of the Proposed Development, an event that threatens immediate or delayed serious damage to human health, welfare and/or the environment and requires the use of resources beyond those of the Applicant or its contractors. Serious damage includes the loss of life or permanent injury and/or permanent or long-lasting damage to an environmental Receptor that cannot be restored through minor clean-up and restoration efforts. The Significance of this Effect will consider the extent, severity and duration of harm and the Sensitivity of the Receptor.

Management Catchment (WFD)	An area contributing water to a river and its tributaries, with all the water ultimately running off to a single outlet, designated for the purpose of implementing the Water Framework Directive (WFD).
Marine Cable	The part of the DC Cable that runs from the Mean High Water Spring (MWHS) to the UK/FRENCH maritime boundary line.
Marine Cable Corridor	The section of the as-surveyed corridor that runs from UK Mean High Water Springs (MHWS) out to the UK/French EEZ maritime boundary line, within which the Marine Cable Route will be located.
Marine Cable Route	The final installed cable route that lies within the Marine Cable Corridor
Marine Conservation Zone (MCZ)	Created under The Marine and Coastal Access Act 2009, Marine Conservation Zones (MCZs) protect a range of nationally important marine wildlife, Habitats, geology and geomorphology, and can be designated anywhere in English and Welsh territorial and UK offshore waters.
Marine Policy Statement (MPS)	The UK Government's framework for management of the UK marine area. The Marine Management Organisation (MMO) prepares Marine Plans which set out how the Marine Policy Statements (MPS) will be implemented in different geographical areas.
Marine Site Boundary	The perimeter of land around the Marine Cable Corridor.
Marine Strategy Framework Directive (MSFD)	Formally adopted by the European Commission (EC) in July 2008, the Marine Strategy Framework Directive (MSFD) outlines a transparent, legislative framework for an ecosystem-based approach to the management of human activities which supports the sustainable use of marine goods and services. The overarching goal of the Directive is to achieve 'Good Environmental Status' (GES) by 2020 across Europe's marine environment.
Mean High Water Springs (MHWS)	The highest level which spring tides reach on average over a period of time above chart datum.
Mean Low Water Springs (MLWS)	The lowest level which spring tides reach on average over a period of time above chart datum.

Micro-Tuneeling	Driving tunnel sections, usually steel tubes or reinforced concrete section, in a straight line, between pits excavated on either side of the obstruction to be crossed. Hydraulic rams are used to drive the tunnel sections.
Mid Water Trawling and Pelagic Trawls	Vessel towed fishing net which is fished in mid water and is not in touch with the seabed.
Mitigation Measures	Actions proposed to prevent, reduce and where possible offset significant adverse Effects arising from the whole or specific elements of the Proposed Development.
Multi Agency Geographic Information for the Countryside (MAGIC)	Authoritative geographic information about the natural environment from across government.
National Electricity Transmission System (NETS)	The 275 kV and 400 kV electricity networks in Great Britain, which are owned and operated by National Grid.
National Grid	National Grid Electricity Transmission plc (NGET).
National Nature Reserve (NNR)	Established to protect sensitive features and to provide 'outdoor laboratories' for research.
National Planning Policy Framework (NPPF)	The document that sets out government's planning policies for England and how these are expected to be applied. The revised NPPF was published on 24 July 2018.
National Policy Statement (NPS)	Overarching policy designated under the Planning Act 2008 concerning the planning and consenting of Nationally Significant Infrastructure Project (NSIP) in the UK.
Nationally Significant Infrastructure Project (NSIP)	Projects which fall under the categories in Part 3 of the Planning Act 2008 (as amended) (PA 2008), or which are deemed by the Secretary of State (SoS) to be a Nationally Significant Infrastructure Project pursuant to section 35 of the PA 2008.
Natural Environment White Paper (NEWP)	This document outlines the government's vision for the natural environment over the next 50 years. It also describes the actions that will be taken to deliver that goal.

Nitrates Directive	EC Directive 91/676/EC concerning the protection of waters against pollution caused by nitrates from agricultural sources (the Nitrates Directive)
No Observed Effect Level (NOEL)	The level below which no Effect from Noise or vibration can be detected. In simple terms, below this level, there is no detectable effect on health and quality of life due to the Noise.
Noise Sensitive Receptors	Any identified Receptor likely to be affected by Noise. These are generally human Receptors, and may include residential dwellings, work places, schools, hospitals, community facilities, places of worship, recreational spaces and ecological Receptors.
Notice to Mariners	Weekly updates that provide vessels with the latest safety-critical navigational information.
Nomis	Official labour market statistics provided by the Office for National Statistics (ONS).
Non-Designated Heritage Assets	Buildings, monuments, sites, places, areas or Landscapes identified as having a degree of Significance meriting consideration in planning decisions but which are not formally Designated Heritage Assets.
Offshore Marine Cable Corridor	The part of the Marine Cable Corridor that runs from the UK territorial waters limit out to the UK/French EEZ boundary mid-channel.
Onshore Cable Corridor	The section of the as-surveyed corridor that runs from Lovedean Substation to the Landfall, within which the Onshore Cable Route will be located.
Onshore Cable Route	The refined route for cable that lies within the Onshore Cable Corridor.
Onshore Components	The onshore components of the Proposed Development are all of that part above the Mean Low Water Spring.
Onshore Site Boundary	The perimeter of land encompassing the Cable Corridor, Converter Station Area, Landfall and other associated works.
OSPAR Commission	The mechanism by which fifteen Governments of the western coasts and catchments of Europe, together with the European Union, cooperate to protect the marine environment of the North-East Atlantic.

OSPAR Convention	The Convention for the Protection of the Marine Environment of the North-East Atlantic.
Over 15 m Vessels	Vessels which measure over 15 m in length.
Operational Year	The year in which the Project becomes fully operational following construction and commissioning.
Operator	The entity responsible for the operation of the Proposed Development, or a single Pole, once it is commissioned.
Optical Regeneration Station(s)	Structural unit housing telecommunication equipment for the proposed development and responsible for optical signal amplification purposes.
Order	The Aquind Interconnector Order.
Order Limits	The Limits shown on the Works Plans (document ref. [xx]) within which the Authorised Development may be carried out. Equivalent to the Site.
Ordinary Watercourse	Any river, stream, ditch, drain, cut, dyke, sluice, sewer (other than a public sewer) and passage through which water flows that does not form part of a Main River. The Lead Local Flood Authority (LLFA), or Internal Drainage Board (IDB) where relevant, has powers for Ordinary Watercourses that are similar to those held by the Environment Agency for Main River.
Ordnance Survey (OS)	Great Britain's national mapping agency.
Overhead Lines (OHL)	A structure used to transmit electrical energy, consisting of air insulated electrical conductors suspended by pylons or poles.
Parameters	A limit or boundary which defines the scope of a particular process or activity.
Phase 1 Habitat Survey	An ecological survey technique that provides a standardised system to record vegetation and wildlife Habitat. It enables a basic assessment of Habitat type and its potential importance for nature conservation.
Photomontage	A Visualisation which superimposes an image of the Proposed Development or parts thereof upon a photograph or series of photographs.

Pipe Jacking	A trenchless method of installing ducts, by pushing them from one pit to another, below the obstruction to be crossed.
Planning Inspectorate (PINS)	The government agency responsible for examining applications for development consent for Nationally Significant Infrastructure Project (NSIP) under the Planning Act 2008 (as amended) (PA 2008) on behalf of the Secretary of State (SoS).
Planning Practice Guidance (PPG)	The Planning Practice Guidance (PPG) provides context and guidance to the National Planning Policy Framework (NPPF). The PPG will be updated to reflect changes to the revised NPPF. Draft updates to the Planning Practice Guidance have been published in March 2018.
Pole	The term used in to signify one DC transmission circuit. The Project will have two Poles, each of a Symmetrical Monopole topology.
Pollutant	A substance or energy introduced into the environment that has undesired Effects, or adversely affects the usefulness of a resource.
Pots and Potting	A static fishing trap set on the seabed to catch crustaceans and whelks.
Potential Roost Feature (PRF)	Any feature within a building or tree that has potential for a bat to roost in.
Preliminary Ecological Appraisal (PEA)	Preliminary ecological surveys have a range of purposes; one key use is to gather data on existing conditions, often with the intention of conducting a preliminary assessment of likely impacts of proposed developments or establishing the baseline for future monitoring. As a precursor to a proposed project, some evaluation is usually made within these appraisals of the ecological features present, as well as scoping for notable Species or Habitats, identification of potential constraints to the Proposed Development and recommendations for Mitigation Measures.
Preliminary Environmental Information (PEI)	Regulation 12(2) of the EIA Regulations defines Preliminary Environmental Information (PEI) as ‘information referred to in regulation 14(2) which— (a) has been compiled by the applicant; and

	(b) is reasonably required for the consultation bodies to develop an informed view of the likely significant environmental effects of the development (and of any associated development).'
Preliminary Environmental Information Report (PEIR)	The Preliminary Environmental Information Report (PEIR) is a report prepared by the Applicant, containing Preliminary Environmental Information (PEI).
Preliminary Ground Level Roost Assessment (for trees) (PGLRA)	A detailed inspection of the exterior of the tree from ground level to look for Potential Roost Feature (PRF). The aim of this survey is to determine the actual or potential presence of bats and the need for further survey and/or Mitigation Measures.
Primary Consultation Zone (PCZ)	The area – defined for the purposes of consultation – where the Impacts of the Proposed Development may be felt most. Accordingly, the formal consultation has been publicised to those households and businesses located within the Primary Consultation Zone (PCZ) via direct correspondence.
Principal Aquifer	These are layers of rock or drift deposits that have high intergranular and/or fracture permeability - meaning they usually provide a high level of water storage. They may support water supply and/or river base flow on a strategic scale. In most cases, Principal Aquifers are aquifers previously designated as major aquifers.
Priority Hazardous Substance	Substances which are toxic, persistent and likely to bioaccumulate and other substances which give rise to equal concern.
Project	The Project comprises the Proposed Development, as well as the development proposed within French borders and the French Exclusive Economic Zone (EEZ), including Grand Rue Converter Station, Onshore Cables, Marine Cables and a landfall which do not fall within the remit of the DCO Application.
Project of Common Interest (PCI)	Projects that fall under the definition in Article 2(4) of the TEN-E Regulation.
Proposed Development	The development for which a Development Consent Order (DCO) will be sought. This is equivalent to the

	Authorised Development that will be set out in a Schedule of the Draft Development Consent Order (dDCO)
Qualifying features	Aspect of the environment (species, habitat, landscape feature) for which protected site is designated under Natura 2000.
Ramsar Site	Wetlands of international importance, designated under the Ramsar Convention 1971.
Rating Level (LAr,Tr)	Defined in BS 4142 as “specific sound level plus any adjustment for the characteristic features of the sound”. The Rating Level may include any acoustic feature corrections, which may be applied for tonal, impulsive or intermittent characteristics. Acoustic feature corrections are added linearly to the Specific Sound.
Receptor	A component of the natural, created or built environment such as a human being, water, air, a building, or a plant that has the potential to be affected by the Proposed Development.
Residual Effects	Effects arising from the Proposed Development that cannot be mitigated following implementation of Mitigation Measures.
River basin	The portion of land drained by a river and its tributaries.
River basin district (WFD)	The area of land and sea, made up of one or more neighbouring river basins together with their associated groundwaters and coastal waters, which is identified under Article 3(1) of the Water Framework Directive (WFD) as the main unit for management of river basins .
Salinity	The measure of all the salts dissolved in water. Salinity is usually measured in parts per thousand (ppt)
Scoping (EIA)	An exercise undertaken pursuant to the EIA Regulations, to determine the topics to be addressed within the Environmental Statement (ES). Following the issue of a Scoping Report to the relevant authority by the Applicant, a Scoping Opinion (see below) is issued by the respective authority.

	<p>For the purpose of the Proposed Development, the Scoping exercise resulted in the Scoping Report issued to the Planning Inspectorate on 29 October 2018.</p>
Scoping Opinion	<p>A document adopted by the Secretary of State (SoS) in response to a Scoping Report.</p> <p>For the purpose of the Proposed Development, this refers to the Scoping Opinion adopted by the SoS dated 07 December 2018.</p>
Scoping Report	<p>A report prepared by an applicant setting out the results of the Scoping exercise.</p> <p>For the purpose of the Proposed Development, the Scoping Report prepared to determine the topics to be addressed within the Environmental Statement accompanying the Application was issued to the Planning Inspectorate (PINS) on 29 October 2018.</p>
Scottish Seine	<p>Bottom towed fishing net that uses a series of nets and lines to herd fish into the nets.</p>
Secondary Aquifer	<p>These include a wide range of rock layers or drift deposits with an equally wide range of water permeability and storage. Secondary Aquifers are subdivided into two types:</p> <p>Secondary A - permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers;</p> <p>Secondary B - predominantly lower permeability layers which may store and yield limited amounts of groundwater due to localised features such as fissures, thin permeable horizons and weathering. These are generally the water-bearing parts of the former non-aquifers.</p>

	<p>The term ‘Secondary Undifferentiated’ is also used in cases where it has not been possible to attribute either category A or B to a rock type. In most cases, this means that the layer in question has previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type.</p>
Secretary of State (SoS)	<p>In case of the Proposed Development, the Secretary of State for Business, Energy and Industrial Strategy (BEIS).</p>
Seine Net	<p>A fishing net which hangs vertically in the water with floats at the top and weights at the bottom.</p>
Sensitivity	<p>A term applied to specific Receptors, combining judgements of the susceptibility of the Receptor to the specific type of change or development proposed and the value related to that Receptor.</p>
Sequential (viewpoints)	<p>Where two or more Features are not present in views from the same point on a route and cannot therefore ever be seen at the same time even if the arc of view experienced by the observer changes. The observer must move to another point along the same route to see the second or more of them and then they appear in a sequence. Sequential views often occur when moving along a linear route as the observer moves from one point to another and may occur in both directions.</p>
Significance	<p>A measure of the importance or gravity of the Effect, defined by significance criteria specific to the environmental topic.</p>
Significance (for heritage policy)	<p>The value of a heritage asset to this and future generations because of its heritage interest. That interest may be archaeological, architectural, artistic or historic. Significance derives not only from a heritage asset’s physical presence, but also from its setting.</p>
Significant Observed Adverse Effect Level (SOAEL)	<p>The level above which significant adverse Effects on health and quality of life occur as a result of Noise or vibration. (see also: Significance).</p>
Site	<p>The land within the red line that will be shown on the works plans. Equivalent to Order Limits.</p>

Site Boundary	<p>The Site Boundary refers to the outer perimeter of the Site.</p>
Site of Importance for Nature Conservation (SINC)	<p>Sites of Importance for Nature Conservation are usually selected within a local authority area and support both locally and nationally threatened Habitats and Species that are priorities under the county or UK Biodiversity Action Plan (BAP).</p>
Site of Special Scientific Interest (SSSI)	<p>A site statutorily notified under the Wildlife and Countryside Act 1981 (as amended) as being of special nature conservation or geological interest. Site of Special Scientific Interest (SSSIs) include Habitats, geological features and Landforms.</p>
Sound Power Level (SWL)	<p>The Sound Power Level defines the rate at which sound energy is emitted by a source, and is also expressed in dB. It is defined as follows:</p> $SWL (dB) = 10 \text{ Log}_{10}(W/W_{ref})$ <p>where:</p> <p>W = Sound Power (in Watts) Wref = Reference Power 1 picoWat</p> <p>A few approximate examples of point source SWL are provided as follows;</p> <p>A very quiet ticking watch: 30 dBw Quiet communication in a library: 50 dBw An alarm clock: 70 dBw Loud shouting: 90 dBw A jackhammer: 130 dBw</p>
Sound Pressure Level (SPL)	<p>The Sound Pressure Level has units of Decibel (dB), and compares the level of a sound to the smallest sound pressure generally perceptible by the human ear, or the reference pressure. It is defined as follows:</p> $SPL (dB) = 10 \text{ Log}_{10}(P/P_{ref})^2$

	<p>where:</p> <p>P = RMS Sound Pressure (in Pa)</p> <p>P_{ref} = Reference Pressure 2×10^{-5} Pa</p> <p>An SPL of 0 dB suggests the Sound Pressure of a sound is equal to the reference pressure. This is known as the threshold of hearing. An SPL of 140 dB represents the threshold of pain.</p>
Source Protection Zone (SPZ)	Also Groundwater Source Protection Zone. See above.
Source Protection Zone 1 (SPZ 1)	Also referred to as ‘inner zone’. In relation to contamination risks to groundwater sources, defined by the Environment Agency as the 50-day travel time from any point below the water table to the source. This zone has a minimum radius of 50 metres.
Spatial Adaptability	The ability to move freely within a given area.
Special Area of Conservation (SAC)	Areas of protected habitats and species as defined in the Habitats Directive
Special Protection Area (SPA)	Sites classified in accordance with Article 4 of the EC Birds Directive (79/409/EEC) which came into force in April 1979. They are classified for rare and vulnerable birds (as listed on Annex 1 of the Directive), and for regularly occurring migratory Species.
Species	A group of interbreeding organisms that seldom or never interbreed with individuals in other such groups, under natural conditions; most species are made up of subspecies or populations.
Specific Sound Level ($L_s = L_{Aeq,Tr}$)	Defined in BS 4142 as “equivalent continuous A-weighted sound pressure level produced by the specific sound source at the assessment location over a given reference time interval, T_r ”. The specific sound is the sound source being assessed.
Standard of Protection (SoP)	The Standard of Protection (SoP) that a flood defence offers is expressed in terms of the likelihood of a

	particular flood event (or level) being equalled or exceeded in any given year. Therefore, if a flood defence offers a SoP of 1 in 50, it will take a 1 in 50 (or greater) flood event to overtop it.
Static Gears	Fishing equipment that is not towed and left static on the seabed for a period of time.
Statement of Community Consultation (SoCC)	The Planning Act 2008 (as amended) (PA 2008) requires the Applicant to undertake public consultation in advance of submitting the Development Consent Order (DCO) application to the Secretary of State (SoS). A Statement of Community Consultation (SoCC) must be prepared, setting out how the Applicant proposes to consult people living in the vicinity of the Proposed Development.
Substation Works	Works required at Lovedean Substation to facilitate the connection between the Converter Station and the National Electricity Transmission System (NETS).
Substitution	Where a firm substitutes one activity for a similar activity (e.g. to take advantage of public sector assistance).
Susceptibility	The ability of a defined Landscape Receptor or Visual Receptor to accommodate the Proposed Development without undue negative consequences.
Survey Centreline (SCL)	The centreline of the Marine Cable Corridor which is also the centreline of the as-surveyed marine geophysical and geotechnical survey corridor.
Symmetrical Monopole	A High Voltage Direct Current (HVDC) scheme typology that has one Pole, with two metallic conductors (one positive and one negative) connecting two Converter Stations, one at each end of the scheme. For the Project, the metallic conductors are the DC Cables.
Telecommunications building(s)	A building housing telecommunication equipment . For the Proposed Development, this will be contained within a dedicated building within its own perimeter adjacent to the Converter Station perimeter.
Temporary Works	Non-permanent works that enable the construction of the permanent asset, e.g. trench excavation.
TEN-E Regulation	Regulation (EU) No 347/2013 of the European Parliament and of the Council on guidelines for trans-European energy infrastructure and repealing Decision

	No 1364/2006/EC and amending Regulations (EC) No 713/2009, (EC) No 714/2009 and (EC) No 715/2009
Territorial Waters	UK Territorial waters are a belt of coastal waters extending 12 nautical miles from Mean Low Water Springs (MLWS).
Thermocline	An abrupt temperature gradient in a body of water, marked by a layer above and below which the water is at different temperatures.
Total organic carbon (TOC)	The amount of carbon found in an organic compound.
Townscape	The character and composition of the built environment including the buildings and the relationships between them, the different types of open urban space, including green spaces, and the relationship between buildings and open spaces.
Transition Joint Bay	The underground onshore point at which the Marine Cables are jointed (connected) to the Onshore Cables at the Landfall.
Transboundary Effects	Those effects as a result of an impact which crosses into another countries jurisdiction.
Trial Trenching (archaeological)	Archaeological intrusive evaluative technique.
Twin Symmetrical Monopole	The topological configuration of the Project – having two independent Symmetrical Monopole, both connecting to the National Electricity Transmission System (NETS) at Lovedean Substation.
UK EEZ	The Exclusive Economic Zone (EEZ) belonging to the United Kingdom.
UK / France EEZ Boundary Line	The boundary line between the UK’s Exclusive Economic Zone (EEZ) and the French Exclusive Economic Zone (EEZ).
UK Marine Area	<p>Defined by Section 42 of the Marine and Coastal Access Act 2009 (the “MCAA 2009”) out to the UK/France Exclusive Economic Zone (“EEZ”) boundary.</p> <p>The area of the sea within the seaward limits of the territorial sea adjacent to the UK and any area within the limits of the Exclusive Economic Zone which includes</p>

	the bed and subsoil of the sea within those areas. The 'sea' includes any area submerged at mean high water spring tide, and the waters of estuary, river or channel so far as the tide flows at mean high water spring tide.
Urban Waste Water Directive (UWWD)	EC Directive 91/271/EC concerning urban waste water treatment - transposed into UK law under the Urban Waste Water Directive.
Visual Amenity	The overall pleasantness of the views people enjoy of their surroundings, which provides an attractive visual setting or backdrop for the enjoyment of activities of the people living, working, recreating, visiting or travelling through the area.
Visual Effect	An Effect on specific views and on the general Visual Amenity experienced by people.
Visual Receptor	Individuals and/or defined groups of people who have the potential to be affected by the Proposed Development.
Visualisation	A computer simulation, photomontage or other technique illustrating the predicted appearance of elements of the Proposed Development.
XLPE	Cross-linked polyethylene. A polymeric material that is widely used as electrical insulation on power cables and which may be the insulation material for both the AC Cable and DC Cable.
Waste Hierarchy	Sets out the priorities that must be applied when managing waste.
Water Framework Directive (WFD)	European directive which commits member states to achieve good qualitative status of all water bodies.
Waterbody	A discrete body of water forming a physical Feature.
Wetlands	Areas of marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed six metres.
Wildlife and Countryside Act 1981 (as amended)	The principal piece of UK legislation relating to the protection of wildlife.

Zone of Influence (ZOI)	The areas / resources that may be affected by the biophysical changes caused by activities associated with a project.
Zone of Theoretical Visibility (ZTV)	A map, digitally produced, showing areas of land within which the Proposed Development is theoretically visible.

2 ABBREVIATIONS

Abbreviation	Term in full
μT	microTesla
AA	Appropriate Assessment
AADF	Annual Average Daily Flow
ABP	Associated British Ports
AC	Alternating Current
ACOPS	Advisory Committee on Protection of the Sea
AD	Anno Domini
AEZ	Archaeological Exclusion Zone
AIL	Abnormal Indivisible Load
AIMS	AQUIND Interconnector Modelling Suite
AIS	Air Insulated Switchgear
AIS	Automatic Identification System
AL	Action Level
ALARP	As Low as Reasonably Practicable
ALC	Agricultural Land Classification
AOD	Above Ordnance Datum
AONB	Area of Outstanding Natural Beauty
AQAL	Air Quality Assessment Level
AQMA	Air Quality Management Area
AQS	Air Quality Strategy
AtoN	Aids to Navigation
ASA	Archaeological Search Area

ASCOBANS	Agreement on the Conservation of Small Cetaceans of the Baltic, North East Atlantic, Irish and North Seas
BAC	Background Assessment Concentrations
BAP	Biodiversity Action Plan
BAT	Best Available Techniques
BBS	Breeding Bird Survey
BCT	Bat Conservation Trust
BEIS	Department for Business, Energy and Industrial Strategy
BES	Battery Energy Storage
BGS	British Geological Survey
BMM	Brown and May
BMV	Best and Most Versatile (agricultural land)
BoCC	Birds of Conservation Concern
BODC	British Oceanographic Data Centre
BRE	Building Research Establishment
BREF	Best Available Technique Reference documents (BREF notes)
BTO	British Trust for Ornithology
BWD	Bathing Waters Directive
CA	Conservation Area
CA	Cruising Association
CBD	Convention on Biological Diversity
CBRA	Cable Burial Risk Assessment
CCO	Channel Coastal Observatory
CCTV	Closed-Circuit Television
CCW	Countryside Council for Wales
CD	Chart Datum

CDE	Construction, Demolition and Excavation
CDM	Construction, Design, Management
CE	Critically Endangered
CEA	Cumulative Effects Assessment
Cefas	Centre for Environment, Fisheries, and Aquaculture and Science
CEMP	Construction Environmental Management Plan
CFSR	Climate Forecast System Reanalysis
CFP	Common Fisheries Policy
CHA	Competent Harbour Authority
CHARM	Channel Integrated Approach for Marine Resource Management
CIA	Cumulative Impact Assessment
CIEEM	Chartered Institute for Ecology and Environmental Management
CifA	Chartered Institute for Archaeologists
CIGRE	The International Council on Large Electric Systems (from the French translation, Conseil International des Grands Réseaux Électriques)
CIGRE TB	CIGRE Technical Brochure
CION	Connection and Infrastructure Options Note
CIRIA	Construction Industry Research and Information Association
CLB	Cable Lay Barge
CLV	Cable Lay Vessel
Cm	centimetre
cMCZ	Candidate Marine Conservation Zone
CNIS	Channel Navigation Information Service
CO2	Carbon dioxide
COLREGS	International Regulations for Preventing Collisions at Sea

CODA	Cetacean Offshore Distribution and Abundance in the European Atlantic
COLREGS	International Regulations for Preventing Collisions at Sea
COMAH	Control of Major Accidents and Hazards
CoS	Chamber of Shipping
COSHH	Control of Substances Hazardous to Health
CPA	Coast Protection Act
C-POD	Chelonia Porpoise Detector
CPT	Cone Penetration Test
CPA	Coast Protection Act
CRPMEM	Comité Régional des Pêches Maritimes et des Elevages Marins de Bretagne
cSAC	Candidate Special Area of Conservation
CSM	Conceptual Site Model
CTMP	Construction Traffic Management Plan
CTSZ	Channel Taget Separation Zone
DAS	Design and Access Statement
DAS	Discretionary Advice Service
DAS	Distributed Acoustic Sensing
dB	Decibel
dB(A)	A-weighted Decibel
DBA	Desk-based Assessment
DBT	Dibutyltin
DC	Direct Current
DCLG	Department for Communities and Local Government
DCO	Development Consent Order

dDCO	Draft Development Consent Order
DDV	Drop Down Video
DECC	Department for Energy and Climate Change
Defra	Department for Environment, Food and Rural Affairs
DHI	Danish Hydraulic Institute
DIO	Defence Infrastructure Organisation
DIRM	Direction Interrégionale de la mer Manche Mer du Nord
dML	Deemed Marine Licence
DMRB	Design Manual for Roads and Bridges
DP	Dynamic Positioning
DTI	Department of Trade and Industry
DTS	Distributed Temperature Sensing
DTM	Digital Terrain Model
DWT	Deadweight Tonnage
E	Endangered
EA	Environment Agency
EC	European Commission
ECA	East Channel Association
EcIA	Ecological Impact Assessment
ECMWF	European Centre for Medium-Range Weather Forecasts
EEA	European Economic Area
EEC	European Economic Community
EEZ	Exclusive Economic Zone
EHDC	East Hampshire District Council
EHLCA	East Hampshire Landscape Character Assessment

EHO	Environmental Health Officer
EIA	Environmental Impact Assessment
ELC	European Landscape Convention
ELF	Extremely Low Frequency
EMF	Electromagnetic Field (or Force)
EMODnet	European Marine Observation and Data Network
EMP	Environmental Management Plan
EN-1	Overarching NPS for Energy
EN-3	NPS for Renewable Energy Infrastructure
EN-5	NPS for Electricity Networks Infrastructure
EODS	Explosive Ordnance Disposal Suite
EP	Environmental Permit
EPC	Engineering, Procurement and Construction
EPI	Environmental Performance Indicator
EPS	European Protected Species
EPUK	Environmental Protection UK
EQSD	European Quality Standards Directive
ERL	Effects Range Low
ES	Environmental Statement
ESA	European Space Agency
ESCP	East Solent Coastal Partnership
EU	European Union
EUNIS	European Nature System
ExA	Examining Authority
FEP	Flood Evacuation Plan

FGD	Flue Gas Desulphurisation
FEPA	Food and Environment Protection Act 1985
FLO	Fisheries Liaison Officer
FOC	Fibre Optic Cable
FR	France
FRA	Flood Risk Assessment
FSA	Formal Safety Assessment
FRP	Fibre-reinforced Plastic
ft	Foot
FTE	Full-time equivalent
FSA	Formal Safety Assessment
GIS	Gas Insulated Switchgear
GB	Great Britain
GCN	Great Crested Newt
GES	Good Environmental Status
GEP	Good Ecological Potential
GHG	Greenhouse Gas
GI	Ground Investigation
GIA	Gross Internal Area
GIS	Geographical Information Systems
GIS	Gas Insulated Switchgear
GLVIA 3	Guidelines for Landscape and Visual Impact Assessment, Third Edition
GPS	Global Positioning System
GSHHG	Global Self-consistent, Hierarchical, High-resolution Geography
GT	Gross Tonnage

GW	Gigawatts (1000 MW)
GWh	Gigawatt hour (Measurement Unit for Energy)
GWMP	Groundwater Management Plan
H&S	Health and Safety
Ha or ha	Hectare
HA	Heritage Asset
HAML	Hanson Aggregates Marine Ltd
HAZID	Hazard Identification Study
HBC	Havant Borough Council
HBIC	Hampshire Biodiversity Information Centre
HCC	Hampshire County Council
HD	Hydrodynamic
HDD	Horizontal Directional Drilling
HDPe	High-density polyethylene
HE	Highways England
HE	Historic England
HEDBA	Heritage Environmental Desk Based Assessment
HER	Historic Environment Record
HGV	Heavy Goods Vehicle
HIA	Health Impact Assessment
HM	Her Majesty's
H_m^0	Significant Wave Height
HMSO	Her Majesty's Stationery Office
HP	High Pressure
HPC	Horndean Parish Council

HPI	Habitats of Principal Importance
HRA	Habitats Regulations Assessment
HRSGs	Heat Recovery Steam Generators
HSC	Hazardous Substances Consent
HSC	Historic Seascape Character
HSE	Health and Safety Executive
HVAC	High Voltage Alternating Current
HVDC	High Voltage Direct Current
IALA	International Association of Marine Aid to Navigation and Lighthouse Authorities
HWTMA	Hampshire and Wight Trust for Maritime Archaeology
Hz	Hertz
IAMMWG	Inter-Agency Marine Mammal Working Group
IAN	Interim Advice Note
IAQM	Institute of Air Quality Management
ICES	International Council for the Exploration of the Sea
ICNIRP	International Commission on non-Ionizing Radiation Protection
ICOMOS	International Council of Monuments and Sites
ICUN	International Union for Conservation of Nature
IDB	Internal Drainage Board
IED	Industrial Emissions Directive
IEEE	Institute of Electrical and Electronics Engineers
IEF	Important Ecological Features
IEMA	Institute of Environmental Management and Assessment
IET	Institution of Engineering and Technology
IFA	Interconnexion France-Angleterre

IFA	Interconnexion France-Angleterre 2
IFCA	Inshore Fisheries and Conservation Authority
IFCA	Internal Functional Configuration Audit
IFREMER	Institut français de recherche pour l'exploitation de la mer
IGBT	Insulated Gate Bipolar Transistor – the switching device used in voltage sourced converter schemes.
IHLS	International Herring Larvae Survey
ILAs	Important Landscape Areas
ILVO	Institute for Agriculture and Fisheries Research
IMO	International Maritime Organisation
IMARES	Institute for Marine Resources and Ecosystem Studies
INNS	Invasive Non-Native Species
IOF	Important Ornithological Feature
IOM	Institute of Occupational Medicine
IPC	Infrastructure Planning Commission
IQI	Infaunal Quality Index
JNCC	Joint Nature Conservation Committee
km	Kilometre
KP	Kilometre Point
kV	Kilovolt
kV/m	Kilovolts per metre
LA90 dB	Background Sound
LAeq, T dB	Equivalent Continuous Sound Level
LAQM	Local Air Quality Management
LAT	Lowest Astronomical Tide
LB	Listed Building

LBAP	Local Biodiversity Action Plan
LC	Least Concerns
LCA	Landscape Character Areas
LCA	Landscape Character Assessment
LCC	Line Commutated Converter
LCPD	Large Combustion Plant Directive
LCT	Landscape Character Type
LDF	Local Development Framework
LDP	Local Development Plan
LEI	Landbou Ecomisch Institut
LGS	Local Geological Sites
LGV	Light Goods Vehicle
LHB	Langstone Harbour Board
LLFA	Lead Local Flood Authority
Lmax	Highest Measured Sound Pressure Level
Lmin	Lowest Measured Sound Pressure Level
LNR	Local Nature Reserve
LOAEL	Lowest Observed Adverse Effect Level
LPA	Local Planning Authority
LSE	Likely Significant Effect
LVIA	Landscape and Visual Impact Assessment
LWS	Local Wildlife Site
m	Metre
MA&D	Major Accidents and Disasters
MAFF	Ministry for Agriculture, Fisheries and Food

MAGIC	Multi Agency Geographic Information for the Countryside
MAI	Marine Aggregate Industry
MAIB	Marine Accident Investigation Branch
MAPP	Major Accident Prevention Plan
MarESA	Marine Evidence based Sensitivity Assessment
MarLin	Marine Life Information Network
MASS	Managed Aggregate Supply System
MBES	Multibeam Echosounder
MCA	Marine Character Area
MCA	Maritime and Coastguard Agency
MCA	Mineral Consultation Area
MCAA	Marine and Coastal Access Act 2009
MCEU	Marine Consents and Environmental unit
MCZ	Marine Conservation Zone
MERIS	Medium Resolution Imaging Spectrometer
MFE	Mass Flow Excavation
MGN	Marine Guidance Note
mg l⁻¹	Milligrams per litre of water
MHWS	Mean High Water Spring
MLWM	Mean Low Water Mark
mm	Millimetre
MMP	Materials Management Plan
MMO	Marine Management Organisation
MOC	Minimum Offtake Connection
MoD	Ministry of Defence

MODIS	Moderate Resolution Imaging Spectroradiometer
MPA	Mineral Planning Authority
MPS	Marine Policy Statement
ms⁻¹	Metre per second
MS	Method Statement
MU	Management Unit
MSA	Mineral Safeguarding Area
MSFD	Marine Strategy Framework Directive
mT	Militesla
MW	Megawatt (1,000,000 watts)
MWh	Megawatt hour (Measurement Unit for Energy)
N	North
NA	Not Assessed
NASA	National Aeronautics and Space Administration
NAVTEX	Navigational Telex
NCAP	National Character Area Profile
NCEP	National Centres for Environmental Prediction
NE	Natural England
NERC	Natural Environment Research Council
NERC	Natural Environment and Rural Communities
NERP	National Emissions Reduction Plan
NETS	National Electricity Transmission System
NEWP	Natural Environment White Paper (2012)
NFFO	National Federation of Fishermen's Organisations
NG	National Grid

NGET	National Grid Electricity Transmission plc
NGR	National Grid Reference
NH3	Ammonia
NHL	National Heritage List
NHLE	National Heritage List for England
NIDP	National Infrastructure Delivery Plan
NIA	Noise Action Planning Important Areas
nm	Nanometre
NMBAQC	National Marine Biological Analytical Quality Control
nm	Nautical mile
NNR	National Nature Reserve
NO2	Nitrogen dioxide
NOAA	National Oceanic and Atmospheric Administration
NOEL	No Observed Effect Level
NOx	Nitrogen oxides
NPPF	National Planning Policy Framework
NPPG	National Planning Practice Guidance
NPS	National Policy Statement
NPSE	Noise Policy Statement for England
NRA	Navigational Risk Assessment
NRHE	National Record for the Historic Environment
NRPB	National Radiological Protection Board
NSA	Nutrient Sensitive Area
NSIP	Nationally Significant Infrastructure Project
NSR	Noise Sensitive Receptor

NT	Not Threatened
nT	Nanotesla
NTEM	National Trip End Model
NTM	National Traffic Forecasts
NTS	Non-Technical Summary
NTSLF	National Tidal Sea Level Facility
NVQ	National Vocational Qualification
NVZ	Nitrate Vulnreable Zone
NYES	North Yorkshire Ecology Service
ODPM	Office of the Deputy Prime Minister
OESEA	Offshore Energy Strategic Environmental Assessment
OFGEM	Office of Gas and Electricity Markets
OGA	Oil and Gas Authority
OHL	Overhead Lines
O&M	Operations and Maintenance
ONS	Office for National Statistics
OREIs	Offshore Renewable Energy Installations
OOS	Out of Service
ORPAD	Offshore Renewables Protocol for Archaeological Discoveries
OS	Ordnance Survey
OSPAR	Oslo and Paris Conventions
OWF	Offshore Windfarm
PA 2008	Planning Act 2008 (as amended)
PAD	Protocol for Archaeological Discoveries
PAH	Polycyclic Aromatic Hydrocarbons

PAS	Portable Antiques Scheme
PC	Process Contribution – the contribution of the Proposed Development, to pollutant concentrations and/or pollutant deposition
PCB	Poly-Chlorinated Biphenyls
PCC	Portsmouth City Council
PCZ	Primary Consultation Zone
PCI	Project of Common Interest
PEA	Preliminary Ecological Appraisal
PEC	Predicted Environmental Concentrations – the Process Contribution plus Background concentrations
PEI	Preliminary Environmental Information
PEIR	Preliminary Environmental Information Report
PES	Primary Energy Saving
PEXA	Practice and Exercise Areas
PGLRA	Preliminary Ground Level Roost Assessment (for trees)
PHE	Public Health England
PIA	Personal Injury Accident
PINS	Planning Inspectorate
PLB	Post Lay Burial
PLGR	Pre-lay Grapnel Run
PLU	Primary Landscape Unit
PM	Particulate Matter
PM10	Particulate Matter with an aerodynamic diameter of less than 10 micrometres
PM2.5	Particulate Matter with an aerodynamic diameter of less than 2.5 micrometres
pMCZ	Proposed Marine Conservation Zone

PPE	Personal Protective Equipment
PPG	Planning Practice Guidance
PPS	Planning Policy Statement
PRA	Preliminary Risk Assessment
PRF	Potential Roost Feature
PRR	Portable Relay Room
PRMS	Pressure Reduction and Metering Station
PRoW	Public Right of Way
PTS	Permanent Threshold Shift
PRR	Portable Relay Room
PSA	Particle Size Analysis
PUSH	Partnership for Urban South Hampshire
PWC	Personal Watercraft
QHM	Queen's Harbour Master
RBMP	River Basin Management Plan
RBD	River Basin District
RFC	Ratio of Flow to Capacity
RIGS	Regionally Important Geological Site
rMCZ	Recommended Marine Conservation Zone
RMDL	Recommended Minimum Depth of Lowering
RNLI	Royal National Lifeboat Institution
ROV	Remotely Operated Vehicle
RSPB	The Royal Society for the Protection of Birds
RVEI	Road Verges of Ecological Importance
rWFD	revised Waste Framework Directive

RYA	Royal Yachting Association
S	South
SAC	Special Area of Conservation
SAR	Search and Rescue
SAMM	Suivi Aerien de la Mefaune Marine
SBP	Sub-bottom Profiler
SCANS	Small Cetaceans in European Atlantic Waters and the North Sea
SCI	Sites of Community Importance
SCOPAC	Standing Conference on Problems Association with the Coastline
SDNP	South Downs National Park
SDNPA	South Downs National Park Authority
SF6	Sulphur hexafluoride
SIH	Système d'Information Halieutique
SINC	Site of Importance for Nature Conservation
SLB	Simultaneous Lay and Burial
SM	Scheduled Monument
SMRU	Sea Mammal Research Unit
SMP	Seabird Monitoring Programme
SMP	Shoreline Management Plan
SMRU	Seal Mammal Research Unit
SOAEL	Significant Observed Adverse Effect Level
SoCC	Statement of Community Consultation
SOLAS	Safety of Life at Sea
SoS	Secretary of State
SPA	Special Protection Area

SPAR	South Plans Analytical Report
SPI	Species of Principal Importance
SPL	Sound Pressure Level
SPZ	Source Protection Zone
SQSS	Security and Quality of Supply Standard
SRN	Strategic Road Network
SSC	Suspended Sediment Concentrations
SSS	Sidescan Sonar
SSSI	Site of Special Scientific Interest
STECT	Scientific, Technical and Economic Committee for Fisheries
SuDS	Sustainable Drainage System
SVC	Static Var Compensator
SW	Southern Water
SWBGS	The Solent Waders and Brent Goose Strategy
SWMP	Site Waste Management Plan
TBT	Tributyltin
TCE	The Crown Estate
tCO₂e	Tonnes of Carbon Dioxide Equivalent
TCPA 1990	Town and Country Planning Act 1990 (as amended)
TDL	Target Depth of Lowering
TEN-E	Trans-European Networks - Energy
t/h or t/hr	Tonnes per hour
TH	Trinity House
THC	Total hydrocarbon concentrations
TSHD	Trailing Suction Hopper Dredger

TJB	Transition Joint Bay
TJP	Transition Joint Pit
TOC	Total Organic Carbon
TraC	Transitional and Coastal Waters Fish Monitoring Programme
TSHD	Trailing Suction Hopper Dredger
TSS	Traffic Separation Scheme
Tz	Mean Zero Crossing Period
UK	United Kingdom
UKBAP	United Kingdom Biodiversity Action Plan
UKCS	United Kingdom Continental Shelf
UKCP	United Kingdom Climate Projections
UKFEN	UK Fisheries Economic Network
UKHO	United Kingdom Hydrographic Office
UKMO	United Kingdom Meteorological Office
UKPCZ	United Kingdom Pollution Control Zone
UKTAG	UK Technical Advisory Group
UNCLOS	United Nations Convention on Law of the Sea
USBL	Ultra Short Baseline
USA	United States of American
uPVC	Unplasticised polyvinyl chloride
USBL	Ultra-short baseline
UTM	Universal Transverse Mercator
UXO	Unexploded Ordnance
UWWD	Urban Waste Water Directive
V	Vulnerable

VER's	Valued Ecological Receptors
VALPENA	l'éVALuation des Pratiques de PEches au regard des Nouvelles Activités
V/m	Volts per Metre
VMS	Vessel Monitoring System
VP	Vantage Point
VSC	Voltage Source Converter
VTS	Vessel Traffic Service
W	West
WaFD	Waste Framework Directive
WeBS	Wetland Bird Survey
WCA	Wildlife and Countryside Act
WCC	Winchester City Council
WCCLCA	Winchester Landscape Character Assessment
WeBS	Wetland Bird Survey
WFD	Water Framework Directive
WGS	World Geodetic System
WHO	World Health Organisation
WSI	Written Scheme of Investigation
WWI	World War I
WWII	World War II
XLPE	Cross-Linked Polyethylene
ZOI	Zone of Influence
ZTV	Zone of Theoretical Visibility
ZVI	Zone of Visual Influence